



Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.


24/1862 & involverel Censier i a songle sene, each system of including a say flow) linear, obtuse, event, slightly hair at the other vise senooth, townst egg fait beining a fen glands exhaling the odor of Lemen. er Aleysia. the 13 millions of style almostowed . The linear Leaves also gladular, entre derong Porting anguilipolin Toro HOD. Missonen The is almost exactly Sysodia, The style is the only deference, and parkages the smooth dereptace They restering below Alose Lyether






MISSOURI BOTANICAL CARDERS









MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS













PHEGARY SOUTH PHARMAGEUR.

The Building Cor Fourth & Olive Sts. St. Louis,

MISSOURI BOTANICAL GARDEN GERGE ENGELMANN FARERS








GERGE ENGELMANN PAPERS






MISSOURI BOTANICAL GARDERI GEORGE ENGELMANN FAREIS











MISSOURI BOTAWCAL GARDE GEORGE EMBELMANN PAPERS












MISSOURI BOTANICAL GARDENT GEORGE ENGELMANN PAPERS







MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PARESS










MISSOURI BOTANIA GARDEN GEORGE ENGLISHMEN PAPERSI









MISSOURI JOYANICAL GARDEN MISSOURI JOYANICAL PAPERS ENGELMANN PAPERS










2 cavinate caninis retronsi Helle to Biland Anjanthemordes askenin striation maryinalia latiora collation anistre 4. M. Disci Spartit. - Involver extr B. chysauttemorty radios supermeté. 03. commata, var gracilion, (petrolete Mett ?) wet stricte, marginelie latione anistee 4, pl. Divi 4 partit. gunilions, evanessente, _ a large plan B. comata whation (vera ?) wet pravies Anhenia laevia substrato travista o (inequalicante antenone) extensore); (favie extensore contato intenone plana) - p. Asis 4 partit francismes longing persolation. Biden, frondora, silvatira en Cakokin Creek. Ashenia plana tubermelone bianistata -dupon retorni, rufen sursum en Citati __ plane non commette, extensiva obovets breves, sutenion elongate oblonga, anjustion, longione Bikens fromdom? Texas 18th Acherica Josso-camenta, feberalosa, sursum pilosa, summer-list, 2 anstat, omnie aegenlie (3) - melle minora presedet.



Jebepger MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL copyright reserved cm GARDEN

Qf-tenes 1. A. amplexicantisth fol. cordet any leson. over the ablus, aspen c'Ciat. flor rockel. 2. A. alakis fel opat petiolat aruminat petiol alat seminoplicant pubes. flor thyrsoid. fol. radical ovat state oblis petid not alat. __ flor round. 3. A. Evenatus follows for paliolat sul conductions The let demorrent of the nather superior - Mysso Carriore. But sul Mining By. 4. At hirsulus to fol lanocolat Subserret, in pediol decurrent hurset, reque an emilis, inflorere. in thyroo Carrore, for all, _ Major all. 5. A. envordes ple radival, ables outat, in petiol decument hirsut. coule folisque enulinis hirsufii subvenesvent, fol vaul, linear Canvolat Ingroum formans. Mais. Dingmed, Maisin & Margin as per Inflor, foliosa magna densan Myrsum formante raile glabinistrale pedunculis pulles.

copyright reserved cm

BOTANICAL GARDEN

7. De seoundus folovatolanceolat, subpetiolatis, interestation raiennis
us rulis, caule publisa raiennis
os is clongatio vigo atio peduna
uniflor brevissionis emiflen breviddimis. The state Fried Mais mit at 2 2 stall 8. A. flernosus form I wit N22, fol juifra ovat sufra lanteslat serrat avaminat pelislat in petiol alat decrement subaspen margine hispad, vaule glab flesses inflor thyro. mijsbleit, i um gibble. Dyrymes Corymbiform. 9. At serviceus fol lanceolat sessil infor it supm servedsbonendvis, raule ramos filiform inform folis destitut, - Militario Loober Hairon forth. If Americ. Collois 10. A. levis fil ovot lanceolatis accumination Miss Temiampleoicaul. subsernt gleb. subglaucescent. 11. A. specioses room for Evenn Carriolet on the motes Circuity - Nioball. Wirfmonld frigin, facille BOTANICAL copyright reserved cm


GARDEN

Hlåge Ryd = Othor ._ 12. A. gleurus fol lanrolf atterment, oblus! organis glad glacer margine catily denticulat asp. mule gladermino glacero flor
corymbos - Info 3- i for major had
bottom not.

bottom not. WISSOUTH PARDEN GEORGE ENGLES BOTANICAL copyright reserved

GARDEN

cm



Colidagines ramis florificio his 1. Solidryo glabra Berand _ fol lancedat, berniter petiolet, enminet, ente serrat triner, glas inflores or ademinationale, fol calir linear langue and. _ Buf-med. angot. 2. Solidago viggata sevend. - fol ment lancely attenust. Inhat hit, minis floriz elongatis ergatis, fol valie linear oblins 3. I. virganrevides, evert. — fil out lanced. beræiter petial. megulan dentat. _ minis flom boreviters avillar. flor magnis, fol calin querros lancostat. The bottomong fol sant ovatobles 4. L'anssiens efect. · petiol. deverment, sometiet, canement asper, — floanlin sessil, avat larrale obsersionsende, asper ranes, dentat sheloven. og me Densa, flor, magn; fol and for onlye ovat oblas. my of the my 5. Lestigiet. serund. - fol sessil Carred nervos (felent), implorea pyramideli

BOTANICAL copyright reserved cm GARDEN

densa, fol valyo, landolat en K 6. S. Siffusa for Sevend. Le antevedent som Cia (sed minus servata) s. m. li modo por tra publish, rifer asper. h. An., poplarea. 12 lonear pansmelale differen, florik minner fol. ologe Cinear acut. Prifmer Mit 7. S. auren sevand. - pl pliset lancolet in peliol. Decouvert. allement. obtueson serrat, supen ett infra aspenis influencese. Myrsonds denside, fol oaky (- GEO) ovet obbers, cokont. - frisin Of. Le Cineanis evect. — fl linam metros glabon, margine aspen - varnosig floolya ovat lancolat obling ? infloreda, cymos tama. _ forini, g. S. vagineta erest. - fol linear Cannel nivos, glybr margin isperis semi tibers, photons BOTANICAL

copyright reserved cm

GARDEN

10 S. thyrsiflora Vereit fol Cincelat bis: attended margin asper inflores. Thyrson fl only or orat oblus. _ Zwebin finingly Out. BOTANICAL GARDEN CENGELMANN FAPERS MISSOURI 6 BOTANICAL copyright reserved

GARDEN

cm

